

PLYE-NATIONAL DB SERIES CORD GRIPS

DB Series Cord Grips are best suited for liquid tight strain relief of cord and cable. The DB connector makes sure your cable stays in place.

Aluminum body and nut

Tapered conduit threads

Specially molded and tapered oil resistant rubber grommets

UL listed CSA certified




COMPRESSION MECHANICAL WOVEN GRIP

CONDUIT HUB	CABLE DIAMETER	FORM SIZE	STRAIGHT BODY COMPRESSION NUT	STRAIGHT BODY MECHANICAL NUT	STRAIGHT BODY WOVEN GRIP
1/4	.125-.187	1	DB-44316		
1/4	.187-.250	1	DB-4414		
1/4	.250-.312	1	DB-44516		
3/8	.125-.187	1	DB-4316		
3/8	.187-.250	1	DB-414		
3/8	.250-.312	1	DB-4516		
3/8	.312-.375	1	DB-438		
3/8	.375-.437	1	DB-4		
3/8	.125-.250	2	DB-738		
3/8	.187-.312	2	DB-9538		
3/8	.250-.375	2	DB-838		
3/8	.312-.437	2	DB-9738		
3/8	.375-.500	2	DB-938		
3/8	.437-.562	2	DB-9938		
3/8	.500-.625	2	DB-1038		
1/2	.187-.250	1	DB-314		
1/2	.250-.312	1	DB-3516		
1/2	.312-.375	1	DB-338		
1/2	.375-.437	1	DB-3		
1/2	.125-.250	2	DB-7	DBM-1204-M	
1/2	.187-.312	2	DB-9516	DBM-1205-M	DBKM-1205
1/2	.250-.375	2	DB-8	DBM-1206-M	DBKM-1206
1/2	.312-.437	2	DB-9716	DBM-1207-M	DBKM-1207
1/2	.375-.500	2	DB-9	DBM-1208-M	DBKM-1208
1/2	.437-.562	2	DB-9916	DBM-1209-M	DBKM-1209

1/2	.500-.625	2	DB-10	DBM-1210-M	DBKM-1210
1/2	.625-.687	3	DB-91116	DBM-1311-M	DBKM-1311
1/2	.687-.750	3	DB-934	DBM-1312-M	DBKM-1312
3/4	.125-.250	2	DB-614	DBM-2204-M	
3/4	.187-.312	2	DB-6516	DBM-2205-M	DBKM-2205
3/4	.250-.375	2	DB-638	DBM-2206-M	DBKM-2206
3/4	.312-.437	2	DB-6716	DBM-2207-M	DBKM-2207
3/4	.375-.500	2	DB-612	DBM-2208-M	DBKM-2208
3/4	.437-.562	2	DB-6916	DBM-2209-M	DBKM-2209
3/4	.500-.625	2	DB-6	DBM-2210-M	DBKM-2210
3/4	.312-.375	3	DB-1138	DBM-2306-M	DBKM-2306
3/4	.375-.437	3	DB-11716	DBM-2307-M	DBKM-2307
3/4	.437-.500	3	DB-1112	DBM-2308-M	DBKM-2308
3/4	.500-.562	3	DB-11916	DBM-2309-M	DBKM-2309
3/4	.562-.625	3	DB-1158	DBM-2310-M	DBKM-2310
3/4	.625-.687	3	DB-111116	DBM-2311-M	DBKM-2311
3/4	.687-.750	3	DB-11	DBM-2312-M	DBKM-2312
3/4	.750-.875	5	DB-2514	DBM-2514-M	DBKM-2514
3/4	.875-1.000	5	DB-2516	DBM-2516-M	DBKM-2516
1	.312-.375	3	DB-3338	DBM-3306-M	DBKM-3306
1	.375-.437	3	DB-33716	DBM-3307-M	DBKM-3307
1	.437-.500	3	DB-3312	DBM-3308-M	DBKM-3308
1	.500-.562	3	DB-33916	DBM-3309-M	DBKM-3309
1	.562-.625	3	DB-3358	DBM-3310-M	DBKM-3310
1	.625-.687	3	DB-331116	DBM-3311-M	DBKM-3311
1	.687-.750	3	DB-33	DBM-3312-M	DBKM-3312
1	.687-.812	5	DB-1413	DBM-3513-M	DBKM-3513
1	.750-.875	5	DB-1478	DBM-3514-M	DBKM-3514
1	.812-.937	5	DB-141516	DBM-3515-M	DBKM-3515
1	.875-1.000	5	DB-14	DBM-3516-M	DBKM-3516
1-1/4	.750-.875	7-Z	DBZM-4714	DBZM-4714-M	DBZM-4714-K
1-1/4	.875-1.000	7-Z	DBZM-4716	DBZM-4716-M	DBZM-4716-K
1-1/4	1.000-1.125	7-Z	DBZM-4718	DBZM-4718-M	DBZM-4718-K
1-1/4	1.125-1.250	7-Z	DBZM-4720	DBZM-4720-M	DBZM-4720-K
1-1/4	1.250-1.375	7-Z	DBZM-4722	DBZM-4722-M	DBZM-4722-K
1-1/2	.750-.875	7-Z	DBZM-5714	DBZM-5714-M	DBZM-5714-K
1-1/2	.875-1.000	7-Z	DBZM-5716	DBZM-5716-M	DBZM-5716-K
1-1/2	1.000-1.125	7-Z	DBZM-5718	DBZM-5718-M	DBZM-5718-K
1-1/2	1.125-1.250	7-Z	DBZM-5720	DBZM-5720-M	DBZM-5720-K
1-1/2	1.250-1.375	7-Z	DBZM-5722	DBZM-5722-M	DBZM-5722-K
1-1/2	1.375-1.500	8-Z	DBZM-5824	DBZM-5824-M	DBZM-5824-K
1-1/2	1.500-1.625	8-Z	DBZM-5826	DBZM-5826-M	DBZM-5826-K
1-1/2	1.625-1.750	8-Z	DBZM-5828	DBZM-5828-M	DBZM-5828-K
2	1.375-1.500	8-Z	DBZM-6824	DBZM-6824-M	DBZM-6824-K
2	1.500-1.625	8-Z	DBZM-6826	DBZM-6826-M	DBZM-6826-K
2	1.625-1.750	8-Z	DBZM-6828	DBZM-6828-M	DBZM-6828-K
2	1.750-1.875	8-Z	DBZM-6830	DBZM-6830-M	DBZM-6830-K
2-1/2	1.875-2.000	9-Z	DBZM-7932	DBZM-7932-M	DBZM-7932-K
2-1/2	2.000-2.125	9-Z	DBZM-7934	DBZM-7934-M	DBZM-7934-K
2-1/2	2.125-2.250	9-Z	DBZM-7936	DBZM-7936-M	DBZM-7936-K
2-1/2	2.250-2.375	9-Z	DBZM-7938	DBZM-7938-M	DBZM-7938-K
3	1.875-2.000	9-Z	DBZM-8932	DBZM-8932-M	DBZM-8932-K

3	2.000-2.125	9-Z	DBZM-8934	DBZM-8934-M	DBZM-8934-K
3	2.125-2.250	9-Z	DBZM-8936	DBZM-8936-M	DBZM-8936-K
3	2.250-2.375	9-Z	DBZM-8938	DBZM-8938-M	DBZM-8938-K



COMPRESSION MECHANICAL WOVEN GRIP

CONDUIT HUB	CABLE DIAMETER	FORM SIZE	90 Degree BODY COMPRESSION NUT	90 Degree BODY MECHANICAL NUT	90 Degree BODY WOVEN GRIP
3/8	.125-.187	1	DB-431690		
3/8	.187-.250	1	DB-41490		
3/8	.250-.312	1	DB-451690		
3/8	.312-.375	1	DB-43890		
3/8	.375-.437	1	DB-490		
1/2	.125-.250	2	DB-790	DBL-1204-M	
1/2	.187-.312	2	DB-9590	DBL-1205-M	DBKL-1205
1/2	.250-.375	2	DB-890	DBL-1206-M	DBKL-1206
1/2	.312-.437	2	DB-9790	DBL-1207-M	DBKL-1207
1/2	.375-.500	2	DB-990	DBL-1208-M	DBKL-1208
1/2	.437-.562	2	DB-9990	DBL-1209-M	DBKL-1209
1/2	.500-.625	2	DB-1090	DBL-1210-M	DBKL-1210
3/4	.312-.375	3	DB-113890	DBL-2306-M	DBKL-2306
3/4	.375-.437	3	DB-1171690	DBL-2307-M	DBKL-2307
3/4	.437-.500	3	DB-111290	DBL-2308-M	DBKL-2308
3/4	.500-.562	3	DB-1191690	DBL-2309-M	DBKL-2309
3/4	.562-.625	3	DB-115890	DBL-2310-M	DBKL-2310
3/4	.625-.687	3	DB-11111690	DBL-2311-M	DBKL-2311
3/4	.687-.750	3	DB-1190	DBL-2312-M	DBKL-2312
1	.687-.812	5	DB-141390	DBL-3513-M	DBKL-3513
1	.750-.875	5	DB-147890	DBL-3514-M	DBKL-3514
1	.812-.937	5	DB-14151690	DBL-3515-M	DBKL-3515
1	.875-1.000	5	DB-1490	DBL-3516-M	DBKL-3516
1-1/4	.750-.875	7-Z	DBZL-4714	DBZL-4714-M	DBZL-4714-K
1-1/4	.875-1.000	7-Z	DBZL-4716	DBZL-4716-M	DBZL-4716-K
1-1/4	1.000-1.125	7-Z	DBZL-4718	DBZL-4718-M	DBZL-4718-K
1-1/4	1.125-1.250	7-Z	DBZL-4720	DBZL-4720-M	DBZL-4720-K
1-1/4	1.250-1.375	7-Z	DBZL-4722	DBZL-4722-M	DBZL-4722-K
1-1/2	1.375-1.500	8-Z	DBZL-5824	DBZL-5824-M	DBZL-5824-K
1-1/2	1.500-1.625	8-Z	DBZL-5826	DBZL-5826-M	DBZL-5826-K
1-1/2	1.625-1.750	8-Z	DBZL-5828	DBZL-5828-M	DBZL-5828-K
2	1.375-1.500	8-Z	DBZL-6824	DBZL-6824-M	DBZL-6824-K
2	1.500-1.625	8-Z	DBZL-6826	DBZL-6826-M	DBZL-6826-K
2	1.625-1.750	8-Z	DBZL-6828	DBZL-6828-M	DBZL-6828-K
2	1.750-1.875	8-Z	DBZL-6830	DBZL-6830-M	DBZL-6830-K





COMPRESSION

MECHANICAL

WOVEN GRIP

CONDUIT HUB	CABLE DIAMETER	FORM SIZE	45 Degree BODY COMPRESSION NUT	45 Degree BODY MECHANICAL NUT	45 Degree BODY WOVEN GRIP
1/2	.125-.250	2	DB-745	DBA-1204-M	
1/2	.187-.312	2	DB-9545	DBA-1205-M	DBKA-1205
1/2	.250-.375	2	DB-845	DBA-1206-M	DBKA-1206
1/2	.312-.437	2	DB-9745	DBA-1207-M	DBKA-1207
1/2	.375-.500	2	DB-945	DBA-1208-M	DBKA-1208
1/2	.437-.562	2	DB-9945	DBA-1209-M	DBKA-1209
1/2	.500-.625	2	DB-1045	DBA-1210-M	DBKA-1210
3/4	.312-.375	3	DB-113845	DBA-2306-M	DBKA-2306
3/4	.375-.437	3	DB-1171645	DBA-2307-M	DBKA-2307
3/4	.437-.500	3	DB-111245	DBA-2308-M	DBKA-2308
3/4	.500-.562	3	DB-1191645	DBA-2309-M	DBKA-2309
3/4	.562-.625	3	DB-115845	DBA-2310-M	DBKA-2310
3/4	.625-.687	3	DB-11111645	DBA-2311-M	DBKA-2311
3/4	.687-.750	3	DB-1145	DBA-2312-M	DBKA-2312
1	.687-.812	5	DB-141345	DBA-3513-M	DBKA-3513
1	.750-.875	5	DB-147845	DBA-3514-M	DBKA-3514
1	.812-.937	5	DB-14151645	DBA-3515-M	DBKA-3515
1	.875-1.000	5	DB-1445	DBA-3516-M	DBKA-3516